

Lencolo 2102 Highly Compatible Non-Silicone Defoamer

Description

Lencolo 2102 is a non-silicone polymer defoaming solution with strong defoaming and anti-foaming capabilities.

Technical data

Component	Non-silicone polymer defoaming solution
Appearance	Transparent liquid
Specific gravity	0.82
Active ingredient	20%
Solvent	Solvent gasoline, ethylene glycol butyl ether

Performance

It has strong defoaming and foam-suppressing abilities, and exhibits excellent defoaming effects in both polar and non-polar systems.

Applications

Industrial coatings, automotive coatings, architectural coatings, wood coatings, coil coatings, and other systems.

Usage

It should be added prior to the grinding stage. If added at a later stage, sufficient shear force is required to ensure uniform dispersion.

Dosage: 0.05–0.5% of the total formulation.

It is recommended that users determine the optimal dosage through preliminary testing before use.

Storage

This product will be functional for 6 month as long as storing under normal temperature and keeping away from heat and light. This Product will be packed into 20kg/drum.

Tips:Lencolo 2102 has good compatibility.

Note: Technical data represents typical values only. In view of the differences in formulas, production process, conditions, all the above statements must be adjusted according to the actual situation, our company does not make any promises. Our company reserves the right to reform its products without prior notice of any changes.